

DSC-HX30V/B

Capture and share all the action with the ultra-zoom DSC-HX30V. Its advanced 18.2MP sensor records 2D or 3D still photos and Full HD 1080/60p videos, while its 20X Optical/40X Clear Zoom lens features 3-way stabilization for movies. Share images to social media sites, home networks, and TVs with WiFi.



18.2MP Exmor® R CMOS sensor

The 18.2MP Exmor® R CMOS sensor captures ultra-high definition images that take full advantage of the camera's sharp Sony® G lens. The sensor enables advanced processing that reduces noise levels up to 6 times more than other sensors, resulting in stunning low light images with incredible details.

High speed AF

To improve focusing speed and sensitivity, the Exmor® R CMOS sensor uses its rapid throughput to deliver high-quality image signals to the camera's BIONZ® processor. The result is fast, DSLR-like focusing speeds, even in low light.

Optical zoom plus Clear image zoom

Most digital zooms use electronic cropping to get closer to the subject, resulting in unsharp images. With Clear Image Zoom the powerful processor compares patterns found in adjacent pixels and creates new pixels to match selected patterns, resulting in more realistic, higher-quality images. Clear Image Zoom doubles optical zoom for closer photos.

Full HD 1080/60p

Record crystal clear movies at the highest resolution available with capabilities for 60p in 1080 AVCHDTM video. This provides stunning, fast motion video with less distortion for playback on your HD TV.² With dual record of stills and movies, you can shoot both at the same time.

Optical SteadyShot™ image stabilization with 3-way Active Mode

Optical SteadyShot™ image stabilization reduces shake and blur by countering camera movements in both horizontal and vertical directions. Active 3-Way stabilization adds digital rolling control that counters clockwise and anti-clockwise rotation, resulting in more stable videos even at long focal lengths.

WiFi sharing

WiFi lets you quickly upload photos and videos directly to social media sites, back them up on a network-connected PC, or view them on a large screen TV. WiFi-enabled smartphones and tablets can also pull images from your camera and upload them to social media.

GPS and Compass

GPS and compass record location data and camera direction as you shoot movies and photos. GPS Log lets users track a photographic journey and later view the path and images on a map. Map View in "PlayMemories Home" software, allows users to view images on a map showing where they were taken. The logged path and images can also be displayed on Google Earth.

Capture the decisive moment with up to 10fps

Capture full 18.2 megapixel resolution images at up to 10 frames per second, helping to ensure that the decisive moment is captured such as the soccer ball flying into the goal. In addition, a mechanical shutter helps reduce distortion when continuously shooting moving subjects.

3D Still Image and 3D Sweep Panorama™ mode

Produce awe-inspiring images with 3D Still Image and 3D Sweep Panorama™ capabilities.³ Photos will take on a new dimension of creative capabilities for viewing the world in a whole new way.

Picture Effect

Picture Effect adds a new level of expression to photos, making ordinary landscapes and portraits come to life by heightening mood and emphasizing certain attributes. Select camera models have up to nine different effects.

Photo Creativity



Photo Creativity allows you to fine-tune your exposure settings, such as brightness, color, and vividness, and quickly choose the right enhancement for your subject. Now you can view Picture Effects and Photo Creativity effects in real time on the camera's monitor or in the viewfinder before shooting.

Background Defocus

Specifications

Camera

Camera Type	High Zoom
Imaging Sen	sor
Imaging Sensor	1/2.3" Exmor® R CMOS Sensor
Processor	BIONZ®
Pixel Gross	18.9MP
Effective Picture Resolution	18.2MP
Color Filter System	RGB primary color filters
Recording	
Media Type	optional "Memory Stick Duo" (No movie recording), optional "Memory Stick PRO Duo" (Mark 2 only for movie recording), optional "Memory Stick PRO-HG Duo", optional SD Memory Card (Class 4 or higher), optional SDHC Memory Card (Class 4 or higher), optional SDXC Memory Card (Class 4 or higher)
Still Image Max Effective Resolution	Approx. 18.2 Megapixels
Still Image Size 16:9	13M(4,896×2,752) / 2M(1,920 x 1,080)
Still Image Size 4:3	18M(4,896×3,672) / 10M(3,648 x 2,736) / 5M(2,592 x 1,944) / VGA
Panorama Still Image Size	Sweep
Sweep Multi Angle Image Size	2M (1,920 x 1,080)
Video Mode	AVCHD 60i:28M
Photo Capture from Movie	Yes
Dual Record	Yes
Audio Format	AC3 (Stereo)
Microphone/ Speaker	Stereo/mono
Wind Noise Reduction	Off/on
Optics/Lens	
Lens Type	Sony G
Aperture	f 3.2-5.8
Optical Zoom	20x

Focal Length (35mm equivalent)	Still 16:9: 27.5- 550mm / Still 4:3: 25-500mm / Movie 16:9:
Lens Construction	12 elements in 9 groups
Minimum Focus Distance	
Aspheric Elements	4
Clear Image Zoom	40x
Steady Shot Mode:Active	Yes
LCD Display	
LCD Type	3.0" Xtra Fine LCD™ TruBlack™ display (921K dots)
Brightness Control	5(Bright) / 4 / 3(Normal) / 2 / 1(Dark)
Histogram	Yes
Grid Display	Yes (Off / On)
Focus Contro	
AF Modes	Multi Point AF / Center Weighted AF / Flexible Spot AF / Manual / Semi Manual / Tracking Focus / Face Tracking Focus
AF Illuminator	Auto / Off
Exposure Syste	em
Metering Modes	Multi Pattern / Center Weighted / Spot
Exposure Compensation	Plus / Minus 2.0EV, 1 / 3EV step
Scene Mode(s)	High Sensitivity / Soft snap / Soft Skin / Landscape / Night Portrait / Night Scene / Handheld Twillight / Gourmet / Beach / Snow / Fireworks / Pet mode / Anti-motion blur / Backlight Correction HDR / Advanced sports shooting
D-Range Optimizer	Standard
ISO	Auto / 100 / 200 / 400 / 800 / 1600 / 3200 / 6400 / 12800

White Balance Mode	Auto (Intelligent) / Daylight / Cloudy / Fluorescent 1 (White Fluorescent Lighting) / Fluorescent 2 (Natural White Fluorescent Lighting) / Fluorescent Lighting) / Fluorescent Jighting) / Incandescent / Flash / One Push, One Push Set / White Balance Shiff
Drive System	
Self-timer	Off / 10sec. / 2sec. / portrait1 / portrait2
Shutter Speeds	iAuto(4" - 1/1600) / Program Auto(1" - 1/1600) / Manual(30" - 1/1600)
Burst Mode	Approx 10 fps at 18.2MP (Maximum 10 shots)
Flash	
Flash Modes	Auto / Flash On / Slow Synchro / Flash Off
Flash Coverage	ISO Auto: Approx.0.4m to 7.1m(1 feet 3 3/4 inches to 23 feet 3 5/8 inches)(W) / Approx.1.7m to 3.9 m(5feet 7 inches to 12 feet 9 5/8 inches)(T), ISO3200: up to Approx.10.0 m(32 feet 9 3/4 inches) (W) / Approx.5.5 m(18 feet 5/8 inches)(T)
Convenience	e Features
Red-Eye Reduction	Auto / On / Off
Erase/Protect	Erase: Single / Select / Date / Folder / AVCHD, Protect: Single / Select / Date / Folder / AVCHD
Red-Eye Reduction	Auto / On / Off
Erase/Protect	Erase: Single / Select / Date / Folder / AVCHD, Protect: Single / Select / Date / Folder / AVCHD

Advanced Features

Anti Motion Blur	Yes
Sweep Panorama	Intelligent Sweep Panorama / 3D Sweep Panorama
Face Detection	8 Faces (Auto / Off / Child Priority / Adult Priority / Key Selected Face Memory)
Smile Shutter™ technology	Yes
Image Stabilization	Optical SteadyShot™ with 3-way Active Mode Image Stabilization
In-Camera Editing	Trimming / Red Eye Correction / Unsharp Masking
Intelligent Auto	Yes
Shooting Tips	Yes
Background Defocus	Yes
Tracking Focus	Off / Auto
Blink Detection	Yes
Photo Creativity	Yes
Interface	
Memory Card Slot	MS Duo and SD/ SDHC/SDXC Compatible
Memory Card Slot	SDHC/SDXC
Slot	SDHC/SDXC Compatible
HD Output	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi-
HD Output USB Port(s)	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes
HD Output USB Port(s) TransferJet	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes
Slot HD Output USB Port(s) TransferJet Dimensions (Approx.)	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes Approx.) 4 1/4" x 2 1/2" x 1 3/8" (106.6 x 61.9 x
Slot HD Output USB Port(s) TransferJet Dimensions (Approx.)	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes Approx.) 4 1/4" x 2 1/2" x 1 3/8" (106.6 x 61.9 x 34.6mm)
Slot HD Output USB Port(s) TransferJet Dimensions (Approx.) Weights and Weight	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes Approx.) 4 1/4" x 2 1/2" x 1 3/8" (106.6 x 61.9 x 34.6mm) Measurements
Slot HD Output USB Port(s) TransferJet Dimensions (Approx.) Weights and Weight (Approx.)	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes Approx.) 4 1/4" x 2 1/2" x 1 3/8" (106.6 x 61.9 x 34.6mm) Measurements 9.0oz (254g)
Slot HD Output USB Port(s) TransferJet Dimensions (Approx.) Weights and Weight (Approx.) Weight(Approx) (Main unit only)	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes Approx.) 4 1/4" x 2 1/2" x 1 3/8" (106.6 x 61.9 x 34.6mm) Measurements 9.0oz (254g)
Slot HD Output USB Port(s) TransferJet Dimensions (Approx.) Weights and Weight (Approx.) Weight(Approx) (Main unit only) Power	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes Approx.) 4 1/4" x 2 1/2" x 1 3/8" (106.6 x 61.9 x 34.6mm) Measurements 9.0oz (254g) 2.7oz (221g) LITHIUM ION NP-
Slot HD Output USB Port(s) TransferJet Dimensions (Approx.) Weights and Weight (Approx.) Weight(Approx) (Main unit only) Power Battery Type Battery	SDHC/SDXC Compatible Micro HDMI Micro USB, Hi- Speed USB(USB2.0) Send: Yes, Receive: Yes Approx.) 4 1/4" x 2 1/2" x 1 3/8" (106.6 x 61.9 x 34.6mm) Measurements 9.0oz (254g) 2.7oz (221g) LITHIUM ION NP-



- Records in 29 minute segments
 Requires HDTV and HDMI cable sold separately
 Requires 3D HDTV, HDMI cable (at least 10.2 Gbps) and active 3D glasses sold separately.
- 4. Combined with electronic stabilization

© 2012 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony, Cyber-shot, SteadyShot, Smile Shutter, Sweep Panorama, Exmor R and the Sony make. believe logo are trademarks of Sony. Microsoft, Windows, and Windows Vista are trademarks of Microsoft Corporation. Mac is a trademark of Apple, Inc. All other trademarks are trademarks of their respective owners. Features and specifications subject to change without notice.

Updated: May 4, 2012